



The fight against the appearance and deepening of wrinkles remains the legitimate crusade of the cosmetic industry which needs raw materials offering **security** and **proven efficacy**.

Facial skin is subjected to the emotions and various forms of environmental stress and is marked by so-called "expression" lines. These lines result from **thousands of daily involuntary micro-contractions of the facial muscles**. They lead to the appearance of real deep wrinkles, the inevitable consequence of movements and pulling on the skin.

Besides the solutions proposed by plastic surgery and other invasive techniques, GATTEFOSSÉ proposes a **safe plant-based alternative** that meets the principal requirement of a skincare product: **rapid results.**

GATULINE® EXPRESSION

A targeted anti-wrinkle ingredient: the reliable option for smoother skin.

Extracted from a tropical plant, GATULINE® EXPRESSION provides an effective solution to the demand for rapid reduction of facial wrinkles:

- **Quick action** shown *in vitro* and *in vivo*, as GATULINE® EXPRESSION **immediately limits** microcontractions that create then aggravate facial wrinkles.
- Spectacular reduction of wrinkles leading to a significantly smoother skin.





ORIGIN & COMPOSITION

A plant based active






GATULINE° **EXPRESSION** is extracted from the upper parts of the *Acmella oleracea* plant belonging to the Compositæ family (*Compositæ-Heliantheæ*). This small plant, which blossoms all year long, has a broad geographical footprint, covering the whole tropical zone in South America, Africa and Asia.

Originating from Peru and Brazil, *Acmella oleracea* is a cultivated non-endangered species, known and used for a very long time in Madagascar and La Réunion. Called "**Mafane**" in the Indian Ocean, this plant is used in food and as a medicinal plant. It is precisely in the wild region of La Réunion that GATTEFOSSÉ harvests it.

Composition

The bibliographic study has revealed a list of key majority compounds present in this plant. These are mainly isobutylamides of polyenic and polyenynic acids. Of the dozen molecules identified, spilanthol (or (E,Z,E)-N-2-isobutyl-2,6,8-decatrienamide) is the molecule mainly responsible for the activity of GATULINE® EXPRESSION.

Fig. 1




IN VITRO EFFICACY

Nerve-muscle co-culture model

The myorelaxing activity of the extract was first tested on a model reproducing muscle contractions. This model is produced by the co-culture of motor neurones with human muscle cells forming striated muscle fibres which, once innervated, spontaneously contract (fig 2).


Fig. 2: Nerve-muscles co-culture



The muscle contractions were counted to prove that GATULINE® EXPRESSION blocked these contractions (fig 3). This blocking process is fully dependent on the concentration of the tested extract.

As such, it was demonstrated that **just 0.6% of GATULINE® EXPRESSION is enough for complete myorelaxation.**

Fig. 3: Activity of GATULINE® EXPRESSION on the cells



^{* (}Change of the culture medium after complete blocking).

GATULINE® EXPRESSION shows a fully reversible function (complete recovery after 24 hours) and is thus positioned as a very safe extract while remaining highly effective.

In a second test, the efficacy of GATULINE® EXPRESSION formulated in a cream was quantified using another innovative *in vitro* model.






Bioavailability

In order to make sure that GATULINE® EXPRESSION does not deteriorate in the formulation or after topical application, a new model was tested. This was a co-culture described in the previous page topped with reconstructed skin containing epidermis and dermis (fig 4).

Fig. 4: Schematic representation of the tridimensional model nerve-muscles-reconstructed skin



The efficacy of a standard formulation (0/W emulsion) containing GATULINE® EXPRESSION was evaluated against a placebo. Muscle contractions were counted to highlight the activity of the cream containing GATULINE® EXPRESSION on human skin and cells.

Fig. 5: In vitro activity of formulated GATULINE® EXPRESSION




Figure 5 shows that GATULINE® EXPRESSION is a stable active ingredient, just as effective once formulated in a cream. Its **activity** is confirmed as **dose-dependent and reversible**.

GATULINE® EXPRESSION used in a standard formulation presents good bioavailability.

The 24 hour residual relaxing power of the cream containing 3% GATULINE® EXPRESSION allows us to expect an interesting **cumulative effect** when used daily.

5

IN VIVO EFFICACY

The *in vivo* smoothing efficacy of GATULINE® EXPRESSION has been demonstrated on "**crow's feet**" wrinkles.

Skin smoothing was assessed by topometric analysis using a hi-tech method: the **Fringe Projection** technique. This allowed GATTEFOSSÉ to demonstrate very precisely the benefits provided by daily application of GATULINE® EXPRESSION.

Fringe Projection, a purely optical method used to assess roughness of the skin, allows us to avoid artefacts due to contact with the skin.

Tests were carried on two panels of volunteers (20 and 30 people) with twice-daily application for 28 days:

- 1 panel using a placebo formulation on half of the face and a formulation containing 2% of GATULINE® EXPRESSION on the other half
- 1 panel using a placebo formulation on half of the face and a formulation containing 5% of GATULINE® EXPRESSION on the other.

For the first panel, the roughness was quantified several times. This revealed the strong activity of GATULINE® EXPRESSION formulated at 2% (Fig 6).

75% of volunteers reacted very rapidly to the smoothing effect of GATULINE® EXPRESSION, the very next day after the first application.




Fig. 6: Average roughness on 15 people

The smoothing effect is visible and is reinforced during the first month of use.

The activity is therefore instant on the reduction of expression lines with only 2% of GATULINE® EXPRESSION.






The results of the second panel confirmed the significant activity of the extract on wrinkle reduction.

With 5% of GATULINE® EXPRESSION, more than 83% of volunteers benefited from a reduction in crow's feet wrinkles.

Tested against a placebo, GATULINE® EXPRESSION offers very visible results on the skin of volunteers. Figure 7 shows that wrinkle depth is reduced, the skin is smoothed and looks younger.

Fig. 7: GATULINE® EXPRESSION activity at 5% in formulation, before treatment and after 28 days



GATULINE® EXPRESSION is therefore a key ingredient for the reduction of facial wrinkles.

Very rapid effect in comparison with traditional anti-wrinkle ingredients.

Quality

The *Acmella oleracea* plant is harvested in a pollution free environment through a supply chain which guarantees full traceability.

Identified and measured by HPLC, the spilanthol molecule is guaranteed in all batches with a minimum concentration of 50 mg/l of GATULINE® EXPRESSION.

Intellectual property

A patent on GATULINE® EXPRESSION has been filed for targeted application on wrinkle smoothing.

CONCLUSION

Expression lines result from the accumulated effect on the skin of movements constantly imposed by the subcutaneous muscles. GATTEFOSSÉ research has found a solution to attenuate these muscle contractions and thus delay formation and deepening of these wrinkles.

The **myorelaxing mechanism** has been clearly identified as being the cause of the activity of GATULINE® EXPRESSION.


In vitro tests conducted with GATULINE® EXPRESSION show that this *Acmella oleracea* extract **precisely and rapidly targets** the mechanism responsible for the formation of expression lines.

Finally, in vivo tests show that GATULINE® EXPRESSION instantly and strongly reduces the wrinkled appearance of the faces of a large majority of the panelists.

GATULINE® EXPRESSION is thus destined to become a key active ingredient for the next generation of anti-wrinkle cosmetics.







APPLICATIONS

GATULINE® EXPRESSION is the ideal active ingredient for **facial anti-ageing and anti-wrinkle care**, in particular aimed at smoothing out expression lines. This targets crow's feet, forehead wrinkles, frown lines between the eyebrows and the nasogenian fold.

This new active is precisely dedicated to skincare products and its **easy formulation** allows its use in emulsions, microemulsions, serums and gels.

The recommended concentration of use is between 2% and 5%.

9

SPECIFICATIONS

Organoleptic characteristics:			
Aspect	yellow to amber limpid liquid		
Odour	characteristic		
Physico-chemical characteristics:			
Specific gravity at 20°C (D20/4)	0.87 to 0.91		
Refractive index at 20°C			
рН	5 to 7		
Dry extract	> 0.5 g/100g		
Solubility at 20°C	soluble in water, insoluble in oils		
Spilanthol content	> 50 mg/l		
Transport and storage conditions:			
This product does not contain preservative. Prevent exposure to light. Store under nitrogen at room			
temperature.	4 2 4		
Packing:			
Industrial standard pack	plastic packing of 800 g or 4 kg		
Samples	brown plastic bottle of 50 g		
Regulatory:			
INCI nameAl	cohol (and) Water (and) Acmella Oleracea Extract		
CAS n°	64-17-5/7732-18-5/90131-24-1		
EINECS n°			
Australia and Japan	Approved for cosmetic use		
Toxicological profile:			
Local toxicity on the skin	not classified		
Local toxicity on the eyes	well tolerated		
Phototoxicity assay in vitro	without phototoxic effect		
Phototoxicity	without phototoxic effect		
Sensitization	without allergic effect		
Photosensitization without photoallergic effec			
Systemic toxicity LD50>2000 mg/kg			
Mutagenic effect (Ames test)	without mutagenic effect		





FORMULAS

"W	RINKLE CORRECTOR" SERUM		MM 8047/C
	INCI name	Trade name	%
I	GLYCERIN		4.00
	BUTYLENE GLYCOL		4.00
	PRESERVATIVE		0.50
	DEMINERALIZED WATER		79.90
II	ACRYLATE/C10-30 ALKYL ACRYLATE CROSSPOLYMER	CARBOPOL® ULTREZ 20	0.10
III	I ACRYLATES/ACRYLAMIDE COPOLYMER (and) MINERAL OIL (and) POLYSORBATE-85	NOVEMER® EC-1	0.05
IV	OCTYLDODECYL MYRISTATE	MOD	2.00
	ISOSTEARYL ALCOHOL (and) BUTYLENE GLYCOL COCOATE (and) ETHYLCELLULOSE	EMULFREE® CBG	1.00
V	DIMETHICONE (and) DIMETHICONOL		2.50
VI	ACRYLATES/ACRYLAMIDE COPOLYMER (and) MINERAL OIL (and) POLYSORBATE-85	NOVEMER® EC-1	0.45
VI	I ALCOHOL (and) WATER (and) ACMELLA OLEACERA EXTRACT	GATULINE® EXPRESSION	5.00
	PRESERVATIVE		0.20
	CI-15985 (0.5 SOL.)		0.30
			100.00

Sprinkle Carbopol® Ultrez 20 over I. Leave to stand. Add III. Mix well. Under rapid mixing (rotor stator), add IV, then V to I + II + III. Continue rapid mixing for 10 min. Add VI and the components of VII. Continue moderate stirring for 15 min.

AN	TI-WRINKLE SMOOTHING EMULSION		JB 1954/C
	INCI name	Trade name	%
I	CETYL ALCOHOL (and) GLYCERYL STEARATE (and) PEG-75 STEARATE (and) CETETH-20		
	(and) STEARATEH-20	EMULIUM [™] DELTA	4.00
	ISOSTEARYL PALMITATE		3.00
	TOCOPHERYL ACETATE		0.50
	CALOPHYLLUM INOPHYLLUM (SCAVENG) OIL		1.00
	PPG-3 MYRISTYL ETHER		2.00
	HYDROGENATED POLYDECENE		5.00
	PRESERVATIVE		0.70
	CETOSTEARYL ALCOHOL		0.50
	ISOSTEARYL ISOSTEARATE	ISOSTEARATE ISOSTEARYLE	2.00
	DIMETHICONE		2.00
II	DEMINERALIZED WATER		65.77
	GLYCERIN		5.00
III	CARRAGEENAN		0.30
IV	HYDROGENATED POLYISOBUTENE		3.00
V	ACRYLATES/ACRYLAMIDE COPOLYMER (and) MINERAL OIL (and) POLYSORBATE-85	NOVEMER® EC-1	1.00
VI	HDI/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (and) SILICA		2.00
VI	I ALCOHOL (and) WATER (and) ACMELLA OLEACERA EXTRACT	GATULINE® EXPRESSION	2.00
	PERFUME		0.20
	CI-42090 (0.1 SOL.)		0.03
			100.00

Under stirring, disperse Carrageenan into II. Heat I and II + III to 75 °C. Under rapid mixing (rotor stator 3000 rd/min), add I to II + III, mix for about 5 min. Add IV then V and maintain rapid mixing for about 5 min. Cool under planetary stirring and at about 35 °C, add the other ingredients, one by one.

This information is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It is offered solely for your consideration, investigation and verification.

11

WORLDWIDE LOCATIONS



REGIONAL AFFILIATES

CANADA

Gattefossé Canada, Inc. 170 Attwell Drive, Suite 580 Toronto, Ontario M9W 5Z5 Tel. +1 416 243 5019 Fax +1 416 243 8628

Gattefossé China Trading Co., Ltd Room 302, Building N°6, Lane 289 Bisheng Road, Zhangjiang Hi-Tech Park 201204 SHANGHAI, P.R. China Tel. +86 215 895 8010-601 Fax +86 215 895 8015

FRANCE

Gattefossé France 5 rue Montesauieu F-92018 NANTERRE Cedex Tel. +33 1 41 47 1900 Fax +33 1 41 47 19 29

GERMANY

Gattefossé (Deutschland) GmbH Rheincenter, Hauptstrasse 435 D-79576 WEIL-AM-RHEIN Tel. +49 7621 91 54 64 0 Fax +49 7621 79 22 93

INDIA

Gattefossé India Pvt Ltd. Ground floor, Bombay College of Pharmacy C.S.T. Road, Kalina Santacruz (East) Mumbai - 4000 098 Tel. +91 22 2665 60 31/32/33 Fax +91 22 2665 60 33

ITALY

Gattefossé Italia s.r.l. Via Durando, 38 I-20158 MILANO Tel. +39 02 39314073 Fax +39 02 66200440

SPAIN

Gattefossé España, s.a. • Av. Diagonal 460 6° A E-08006 BARCELONA Tel. +349 3 416 05 20 Fax +349 3 415 35 46

Gattefossé España, s.a. • C/Padilla, 73, 1° B E-28006 MADRID Tel. +349 1 402 13 11/16 12 Fax +349 1 402 00 82

SWITZERLAND

Gattefossé AG Haldenstrasse 11 CH-6006 Luzern Tel. +41 41 418 40 44 Fax +41 41 418 40 59

UNITED KINGDOM

Gattefossé (UK) Limited Arc House, Terrace Road South Binfield, Bracknell, Berkshire RG42 4PZ Tel. +44 1344 861 800 Fax +44 1344 451 400

U.S.A. Gattefossé Corporation Plaza I, 115 West Century Road Suite 340, paramus 07652 New Jersey Tel. +1 201 265 4800 Fax +1 201 265 4853

CORPORATE HEADQUARTERS

GATTEFOSSÉ: 36 chemin de Genas - BP 603 - F-69804 SAINT-PRIEST Cedex - FRANCE Tel +33 4 72229800 - Fax +33 4 78904567 infocos@gattefosse.com - www.gattefosse.com

GATTEFOSSÉ is an independent, multinational company headquartered in France which creates, manufactures and distributes specialty products used as ingredients by the cosmetic and pharmaceutical industries.

Present in almost 50 countries worldwide, GATTEFOSSÉ enjoys a strong know-how and position in lipochemistry, biology and extraction from natural sources.

GATTEFOSSÉ offers the cosmetic industry a variety of high performance products classified as:

- BASES & ADDITIVES: emulsifiers, coemulsifiers, emollients, dispersers, solubilizers, thickeners...
- TRADITIONAL PLANT EXTRACTS
- SUBSTANTIATED ACTIVE INGREDIENTS from vegetable, mineral and marine origins.

